

Dangerous goods packaging for products with possible projection hazard Certificate NET8505A

The following instructions are valid for the V11 Quickbox DGS used for overseas shipping where it is mandatory to use according to the VOLVO CARS PACKAGING REQUIREMENT.

Maximum unit load per Quickbox is 15 kg.

Mandatory:

- To use EMB153 for pallet label.
- The correct pallet V8 Art.No 2075027 (No other pallet is allowed to use!)
- Always fill up with a full layer of boxes to make a complete layer. If necessary fill up with empty boxes.
- Maximum layers of boxes are 4 on each pallet.
- Use top lid and two straps as shown in the instruction.
- Do not use strech film, use 2 straps on the longside only.

If you need additional support please contact us.

customersupport.int@pacson.se www.international.pacson.se/volvocars

Dangerous goods packaging for products without or with small projection hazard

Packaging with DESAB[®] cage suitable for products with risk for projection/ movement outside a radius of 4 meters when activated by heat or electrically activated.

Example: Piston hood lifters/ Side-, Driver-, Passenger- or inflatable curtain airbag modules or other pyrotechnic safety devices with high hazards risk when activated in unpackaged condition.



V11



To use and mark this packaging for dangerous goods UN3268, SAFETY DE-VICES, division 9, it is required to perform a successful UN Test Series 6(c) bonfire test with the product as offered for transport.








FOR VOLVO CARS MANUFACTURING – INSTRUCTION FOR V11 DGS

Dangerous goods packaging for products with possible projection hazard Certificate NET8505A







October 2023

FOR VOLVO CARS MANUFACTURING – INSTRUCTION FOR V11 DGS

Dangerous goods packaging for products with possible projection hazard Certificate NET8505A









Dangerous goods packaging for products with possible projection hazard Certificate NET8505A October 2023



Instruction video How to fold V11 Quick box

Always place the EMB153 left side for the Odette Label - On the bottom layer

- On the box to the left at the short side of the pallet
- 1 layer use lid Art.No 2043413

Do not stack odd size boxes on top of V11 pallets.












FOR VOLVO CARS MANUFACTURING - INSTRUCTION FOR V11 DGS

Dangerous goods packaging for products with possible projection hazard Certificate NET8505A












FOR VOLVO CARS MANUFACTURING – INSTRUCTION FOR V11 DGS Dangerous goods packaging for products with possible projection hazard

Certificate NET8505A







Dangerous goods packaging for products with possible projection hazard

Certificate	NE	8505A	

Name	Art.No	Inside	Outside	MOQ	ВСТ
Tray V11 Quick box	2054111	530x340x190	550x380x195	10	3842N/384 kg
Lid V11 Quick box	2054110	555x376x50	559x380x52	20	
Container lid for 1 layer	2138497	1128x782x50	1140x790x55	240	
Container lid for 2-4 layer	2138491	1128x782x150	1140x790x154	240	
Container pallet Quickbox & Other	2075027	-	1140x790x129	13	
EMB153, Odette Label holder V10-V12	EMB153	_	-	250	
Dangerous goods packaging label NET8505A	2063989	_	-	480	
Steel cage for dangerous goods	2054147	_	525x340x190	96	
Lid for Steel cage dangerous goods	2054148	-	525x340	96	



