#### FOR VOLVO CARS MANUFACTURING - INSTRUCTION FOR V11 DGS

Dangerous goods packaging for products without or with small projection hazard Certificate NET8509A

The following instructions are valid for the V11 Quickbox DGS used for overseas shipping where it is mandatory to use according to the VOLVO CARS PACKAGING REQUIREMENT.

Maximum unit load per Quickbox is 15 kg.

#### Mandatory:

- To use EMB153 for pallet label.
- The correct pallet V8 Art.No 2075027 (No other pallet is allowed to use!)
- Always fill up with a full layer of boxes to make a complete layer. If necessary fill up with empty boxes.
- Maximum layers of boxes are 4 on each pallet.
- Use top lid and two straps as shown in the instruction.
- Do not use strech film, use 2 straps on the longside only.

If you need additional support please contact us.

customersupport.int@pacson.se www.international.pacson.se/volvocars

Dangerous goods packaging for products without or with small projection hazard

Packaging suitable for products without risk for projection/movement outside a radius of 4 meters when activated by heat or electrically activated.

Example: Seatbelts, Side-, or inflatable curtain airbag modules or other small pyrotechnic safety devices with low projection hazard when activated in unpackaged condition.



To use and mark this packaging for dangerous goods UN3268 and UN0503, SAFETY DEVICES, division 9, and UN 3480, UN3481, UN3090 og UN3091, Lithium ion batteries, it is required to perform a successful UN Test Series 6(c) bonfire test with the product as offered for transport.






October 2023



### V11

#### FOR VOLVO CARS MANUFACTURING – INSTRUCTION FOR V11 DGS

Dangerous goods packaging for products without or with small projection hazard Certificate NET8509A









#### FOR VOLVO CARS MANUFACTURING - INSTRUCTION FOR V11 DGS

Dangerous goods packaging for products without or with small projection hazard Certificate NET8509A





**FOR VOLVO CARS MANUFACTURING – INSTRUCTION FOR V11 DGS** Dangerous goods packaging for products without or with small projection hazard

Certificate NET8509A

October 2023



#### Instruction video How to fold V11 Quick box

Always place the EMB153 left side for the Odette Label - On the bottom layer

- On the box to the left at the short side of the pallet
- 1 layer use lid Art.No 2138497

Do not stack odd size boxes on top of V11 pallets.











#### FOR VOLVO CARS MANUFACTURING - INSTRUCTION FOR V11 DGS

Dangerous goods packaging for products without or with small projection hazard Certificate NET8509A




Always place the EMB153 left side for the Odette Label - On the bottom layer

- On the box to the left at the short side of the pallet
- 2-4 layers use the lid Art.No 2138491

Maximum amount of cases with V11 stacked on top each other is 3 layers. Do not stack odd size boxes on top of

Do not stack odd size boxes on top of V11 pallets.





Lid (2-4 layers) Art.No 2138491





October 2023

200 6


300 ka

300 ka



#### FOR VOLVO CARS MANUFACTURING - INSTRUCTION FOR V11 DGS

Dangerous goods packaging for products without or with small projection hazard Certificate NET8509A







Dangerous goods packaging for products without or with small projection hazard Certificate NET8509A

Name	Art.No	Inside	Outside	MOQ	ВСТ
Tray V11 Quick box	2054111	530x340x190	550x380x195	10	3842N/384 kg
Lid V11 Dangerous goods	2068595	544x376x75	565x370x80	250	
Container lid for 1 layer	2043413	1128x782x50	1140x790x55	208	
Container lid for 2-4 layer	2041124	1128x782x150	1140x790x154	208	
Container pallet Quickbox & Other	2075027	-	1140x790x129	13	
EMB153, Odette Label holder V10-V12	EMB153	-	-	250	
Dangerous goods packaging label NET8509A	2069764	-	-	480	



